

acessórios para rega por aspersão

sprinkler irrigation (fittings)

irrigation par aspersion (accessoires)

riego por aspersión (accesorios)



Código Code	Diâmetro Diameter (mm)	
macho para colar / glue-on male mâle pour coller / macho para pegar		
220 750 012 000 54	50	
220 750 014 000 54	75	
220 750 016 000 54	90	
adaptador de transição / transition adapter adaptateur de transition / adaptador de transición		
220 755 495 000 31	70x63	
220 755 496 000 31	75x63	
220 755 497 000 31	75x70	
fêmea para colar / glue-on female femelle pour coller / hembra para pegar		
220 750 022 000 54	50	
220 750 024 000 54	75	
220 750 026 000 54	90	
tomada de água para colar / glue-on water spigot prise d'eau pour coller / toma de agua para pegar		
220 750 032 000 54	50	
220 750 034 000 54	75	
tomada de água com válvula para colar / glue-on water spigot with valve prise d'eau à vanne pour coller / toma de agua con válvula para pegar		
220 755 701 000 54	50	
220 755 703 000 54	63	
base estabilizadora curva / curved stabiliser base base stabilisatrice courbe / base estabilizadora curva		
	Diâmetro Diameter	Comprimento (mm) Length (mm)
220 750 082 000 61	50	400
220 750 084 000 61	75	400
220 750 092 000 61	50	800
220 750 094 000 61	75	800
base estabilizadora galvanizada / galvanised stabiliser base base stabilisatrice galvanisée / base estabilizadora galvanizada		
220 750 121 000 69	400	
220 750 123 000 69	800	
curvo para base estabilizadora / curved for stabiliser base courbe pour base stabilisatrice / curvo para base estabilizadora		
220 750 081 000 61	50	
220 750 083 000 61	75	
alavanca para fêmeas / lever for female levier pour femelle / manilla para hembra		
220 750 142 000 54	50	
220 750 144 000 54	75	
perno para alavanca / bolt for lever boulon pour levier / perno para manilla		
220 750 146 000 61	50	
220 750 148 000 61	75	
vedante para conduta / pipe seal joint d'étanchéité pour conduite / goma para tuberia		
220 750 132 000 81	50	
220 750 134 000 81	75	
220 750 136 000 81	90	

acessórios para rega por aspersão

sprinkler irrigation (fittings)
irrigation par aspersion (accessoires)
riego por aspersión (accesorios)

Código Code	Diâmetro Diameter (mm)
tripé para canhão / sprinkler tripod trépied pour canon / trípode para aspersor	
220 750 164 000 41	tripé curto para canhão 1 1/2" en Short tripod 1 1/2"
220 750 166 000 41	tripé longo para canhão 1 1/2" en Long tripod 1 1/2"
220 755 405 112 54	acopla. F rosc. 50x1 1/2" para tripé en Female threaded coupling 50x1 1/2"
220 755 450 112 54	acopla. M rosc. 50x1 1/2" para tripé en Male threaded coupling 50x1 1/2"
220 730 409 114 61	casq. redução 1 1/2"x1 1/4" para tripé en reduction coupling 1 1/2"x1 1/4"



aspersor rc / rc sprinkler asperseur rc / aspersor rc

220 750 545 000 52	1	acetel círculo completo 1/2" - RC 110 full circle sprinkler 1/2" - RC110
220 750 595 000 52	2	acetel sectorial 1/2" - RC 115 part circle sprinkler 1/2" - RC115
220 750 643 000 82	6	acetel círculo completo 3/4" - RC 160 full circle sprinkler 3/4" - RC160
220 750 710 000 62	3	metálico círculo completo 1/2" - RC 120 full circle sprinkler 1/2" - RC120
220 750 712 000 62	5	metálico círculo completo 3/4" - RC 130 full circle sprinkler 3/4" - RC130
220 750 752 000 62	4	metálico sectorial 1/2" - RC 125 PJ part circle sprinkler 1/2" - RC125 PJ
220 750 753 000 62	8	metálico sectorial 3/4" - RC 135 part circle sprinkler 3/4" - RC135
220 750 647 000 82	7	acetel sectorial 3/4" - RC 235/2 part circle sprinkler 3/4" - RC 235/2



aspersor valducci / valducci sprinkler asperseur valducci / aspersor valducci

220 750 660 000 82	acetel círculo completo 3/4" - V 22 NP full circle sprinkler 3/4" - V22 NP
220 750 662 000 82	acetel sectorial 3/4" - V 22 SLP part circle sprinkler 3/4" - V22 SLP



canhão sectorial / part circle big gun canon sectoriel/ aspersor sectorial

220 750 803 000 82	canhão sectorial 1 1/4" - Jolly part circle big gun 1 1/4" - Jolly
--------------------	---



vara colada m-f / m-f glued pipe tube m-f/ tubo macho-hembra

	Diâmetro Diameter	Comprimento (mm) Length (mm)
220 755 054 300 31	50	3
220 755 054 600 31	50	6
220 755 058 300 31	63	3
220 755 058 600 31	63	6
220 755 063 300 31	75	3
220 755 063 600 31	75	6
220 755 066 600 31	90	6



vara colada com tomada de água / m-f glued pipe with water inlet tube avec prise d'eau / tubo con toma de agua

220 755 074 300 31	50	3
220 755 074 600 31	50	6
220 755 078 300 31	63	3
220 755 078 600 31	63	6
220 755 083 300 31	75	3
220 755 083 600 31	75	6



vara colada com tomada e válvula / glued pipe with inlet and valve tube avec prise et vanne / tubo con toma de agua

220 755 075 300 31	50	3
220 755 075 600 31	50	6
220 755 079 300 31	63	3
220 755 079 600 31	63	6



acessórios para rega por aspersão

sprinkler irrigation (fittings)

irrigation par aspersion (accessoires)

riego por aspersión (accesorios)



Código Code	Diâmetro Diameter (mm)
tê derivação m/f / branch tee / té de dérivation m/f / te derivación	
220 755 102 000 54	50
220 755 104 000 54	75
220 755 106 000 54	90
220 755 104 050 54	75x50
220 755 106 050 54	90x50
220 755 106 075 54	90x75
tê derivação roscado / threaded branch tee té derivation fileté / te derivación com rosca	
220 755 104 112 54	75mmx1 1/2"
220 755 104 200 54	75mmx2"
220 755 106 112 54	90mmx1 1/2"
220 755 106 200 54	90mmx2"
220 755 106 212 54	90mmx2 1/2"
220 755 106 300 54	90mmx3"
tê final m-f / m-f end tee té final m-f / te final macho-hembra	
220 755 132 000 54	50
220 755 134 000 54	75
220 755 136 000 54	90
220 755 134 050 54	75x50
220 755 136 075 54	90x75
tê final roscado / threaded end tee té final fileté / te final con rosca	
220 755 134 112 54	75mmx1 1/2"
220 755 134 200 54	75mmx2"
220 755 136 212 54	90mmx2 1/2"
220 755 136 300 54	90mmx3"
cruzeta m-f / cross croisillon m-f / cruz macho-hembra	
220 755 212 000 54	50
220 755 214 000 54	75
220 755 216 000 54	90
220 755 214 050 54	75x50
220 755 216 050 54	90x50
220 755 216 075 54	90x75
cruzeta roscada / theaded cross croisillon fileté / cruz con rosca	
220 755 214 112 54	75mmx1 1/2"
220 755 214 200 54	75mmx2"
220 755 216 112 54	90mmx1 1/2"
220 755 216 200 54	90mmx2"
curva m-f / m-f elbow coude m-f / curva macho-hembra	
220 755 272 000 31	50
220 755 274 000 31	75
220 755 276 000 31	90
tampão macho / male cap bouchon mâle / tapón macho	
220 755 312 000 54	50
220 755 314 000 54	75
220 755 316 000 54	90
tampão fêmea / female line end cap bouchon femelle / tapón hembra	
220 755 332 000 54	50
220 755 334 000 54	75
220 755 336 000 54	90

acessórios para rega por aspersão

sprinkler irrigation (fittings)
irrigation par aspersion (accessoires)
riego por aspersión (accesorios)

Código
Code

Diâmetro
Diameter
(mm)

acoplamento fêmea para manga / female coupler for flat hose accouplement femelle pour tuyau plat / racord macho para manguera

220 755 431 038 54	50x38
220 755 431 045 54	50x45
220 755 431 050 54	50x1 1/2"(50mm)
220 755 431 055 54	50x55
220 755 431 063 54	50x2"(63mm)
220 755 435 055 54	75x55
220 755 435 060 54	75x60
220 755 435 063 54	75x2"(63mm)
220 755 435 070 54	75x70
220 755 435 075 54	75x2 1/2"(75mm)
220 755 439 070 54	90x70
220 755 439 075 54	90x2 1/2"(75mm)
220 755 439 080 54	90x3"(80mm)
220 755 439 090 54	90x90
220 755 439 100 54	90x4"(100mm)



acoplamento fêmea roscado / female threaded coupler accouplemente femelle fileté / racord hembra con rosca

220 755 411 112 54	50mmx1 1/2"
220 755 411 200 54	50mmx2"
220 755 415 112 54	75mmx1 1/2"
220 755 415 200 54	75mmx2"
220 755 415 212 54	75mmx2 1/2"
220 755 415 300 54	75mmx3"
220 755 419 300 54	90mmx3"



acoplamento macho roscado / male threaded coupler accouplement mâle fileté / racord macho con rosca

220 755 451 112 54	50mmx1 1/2"
220 755 451 200 54	50mmx2"
220 755 455 112 54	75mmx1 1/2"
220 755 455 200 54	75mmx2"
220 755 455 212 54	75mmx2 1/2"
220 755 455 300 54	75mmx3"
220 755 459 300 54	90mmx3"



acoplamento macho para manga / male coupler for flat hose accouplement mâle pour tuyau plat / racord macho para manguera

220 755 471 038 54	50x38
220 755 471 045 54	50x45
220 755 471 050 54	50x1 1/2"(50mm)
220 755 471 055 54	50x55
220 755 471 063 54	50x2"(63mm)
220 755 475 055 54	75x55
220 755 475 060 54	75x60
220 755 475 063 54	75x2"(63mm)
220 755 475 070 54	75x70
220 755 475 075 54	75x2 1/2"(75mm)
220 755 479 070 54	90x70
220 755 479 075 54	90x2 1/2"(75mm)
220 755 479 080 54	90x3"(80mm)
220 755 479 090 54	90x90
220 755 479 100 54	90x4"(100mm)



acessórios para rega por aspersão

sprinkler irrigation (fittings)

irrigation par aspersion (accessoires)

riego por aspersión (accesorios)



Código
Code

Diâmetro
Diameter
(mm)

adaptador roscado macho / male threaded coupler accouplement male filete / adaptador macho con rosca

220 755 541 112 31	50mmx1 1/2"
220 755 541 200 31	50mmx2"
220 755 545 112 31	63mmx1 1/2"
220 755 545 200 31	63mmx2"
220 755 549 212 31	75mmx2 1/2"
220 755 549 300 31	75mmx3"
220 755 555 200 31	90mmx2"
220 755 555 212 31	90mmx2 1/2"
220 755 555 300 31	90mmx3"

adaptador para manga / Coupler for flat hose Accouplement / Adaptador para manguera

220 755 571 038 31	50x38
220 755 571 045 31	50x45
220 755 571 050 31	50x1 1/2" (50)
220 755 571 055 31	50x55
220 755 571 063 31	50x2" (63)
220 755 575 050 31	63x1 1/2" (50)
220 755 575 063 31	63x2" (63)
220 755 578 070 31	70x70
220 755 579 055 31	75x55
220 755 579 060 31	75x60
220 755 579 070 31	75x70
220 755 579 075 31	75x2 1/2" (75)
220 755 579 080 31	75x3" (80)
220 755 583 070 31	90x70
220 755 583 075 31	90x2 1/2" (75)
220 755 583 080 31	90x3" (80)
220 755 583 090 31	90x90
220 755 583 100 31	90x100
220 755 583 110 31	90x110
220 755 585 110 31	110x110
220 755 587 125 31	125x125

adaptador duplo para manga / double coupler accouplement double / adaptador doble para manguera

220 755 600 050 31	50x50
220 755 600 063 31	63x63
220 755 600 070 31	70x70
220 755 600 075 31	75x75
220 755 600 090 31	90x90
220 755 600 100 31	100x100
220 755 600 110 31	110x110
220 755 600 125 31	125x125

redução f-m / m-f reducer réduction f-m / reducción hembra-macho

220 755 662 000 54	75x50
220 755 665 000 54	90x75

tê porta aspersor / sprinkler tee tê porte-asperseur / te porta-aspersor

220 750 042 000 54	50
220 750 044 000 54	75

acessórios para rega por aspersão

sprinkler irrigation (fittings)
irrigation par aspersion (accessoires)
riego por aspersión (accesorios)

Código
Code

Diâmetro
Diameter
(mm)

válvula baioneta / bayonet valve
vanne à baïonnette / válvula de bayoneta

220 750 320 000 81	1"
--------------------	----

suporte 1" roscado com casquilho / threaded 1" support with bushing
support 1" fileté avec culot / soporte 1 con rosca con casquillo

220 755 732 000 31	25
220 755 734 000 31	50
220 755 736 000 31	100
220 755 738 000 31	150

suporte 1" roscado sem casquilho / threaded 1" support without bushing
support 1" pour vanne avec culot / soporte 1" con rosa sin casquillo

220 755 733 000 31	25
220 755 735 000 31	50
220 755 737 000 31	100
220 755 739 000 31	150

suporte 1" para válvula com casquilho / 1" support for valve with bushing
supporte 1" pour vanne sans culot / soporte 1" para válvula con casquillo

220 755 752 000 31	25
220 755 754 000 31	50
220 755 756 000 31	100
220 755 758 000 31	150

suporte 1" para válvula sem casquilho
1" support for valve without bushing
support 1" pour vanne sans culot
soporte 1" para válvula sin casquillo

220 755 753 000 31	25
220 755 755 000 31	50
220 755 757 000 31	100
220 755 759 000 31	150

aumento para suporte / extension for support
adjonction pour support / aumento para soporte

220 755 782 000 31	50
220 755 786 000 31	100

